Benadryl (Diphenhydramine) Dosage Chart

** Benadryl can be given every 6 HOURS ** Consult your physician for children under 12 MOS OF AGE **

Weight (lbs)	Age (years)	Suspension (12.5mg/5ml)	Chewable (12.5 mg tab)	Fastmelts (12.5 mg tab)	Tab/Cap 25 mg
12-19 lbs	1-1½ yrs	$2.5 \text{ ml} = \frac{1}{2} \text{ tsp}$			
20-26 lbs	1½-2 yrs	$3.75 \text{ ml} = \frac{3}{4} \text{ tsp}$			
27-39 lbs	2-4 yrs	5 ml = 1 tsp	1 tab	1 tab	
40-52 lbs	5-6 yrs	$7.5 \text{ ml} = 1 \frac{1}{2} \text{ tsp}$	1 ½ tab	1 ½ tab	
53-67 lbs	7-8 yrs	10 ml = 2 tsp	2 tabs	2 tabs	1 tab/cap
68-79 lbs	9-10 yrs	$10-12.5$ ml = $2-2\frac{1}{2}$ tsp	2-21/2 tabs	2 tabs	1 tab/cap
80-95 lbs	11-12 yrs	10-15 ml = 2-3 tsp	2-3 tabs	2-3 tabs	1 tab/cap
96+ lbs	12+ yrs	10-20 ml = 2-4 tsp	2-4 tabs	2-4 tabs	1-2 tabs/caps

^{**} CAUTION!!! Benadryl can cause significant sleepiness or an unexpected hyperactivity reaction in some children **

^{**} Dosing by weight is most accurate ** Consult your physician for any questions **